

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3137	(370/230.ccls. or 370/433.ccls. or 370/464.ccls.)	US-PGPUB; USPAT	OR	ON	2009/06/10 13:49
L2	2	(370/230.ccls. or 370/433.ccls. or 370/464.ccls.) and terminal adj capability adj set	US-PGPUB; USPAT	OR	ON	2009/06/10 13:49
L3	0	(370/230.ccls. or 370/433.ccls. or 370/464.ccls.) and peer adj to adj peer	US-PGPUB; USPAT	OR	ON	2009/06/10 13:50
L4	307	(370/230.ccls. or 370/433.ccls. or 370/464.ccls.) and peer	US-PGPUB; USPAT	OR	ON	2009/06/10 13:50
S1	3063	(@ad<"20020617" or @rlad<"20020617") and "H.323"	US-PGPUB; USPAT	OR	ON	2008/02/12 13:54
S2	4	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (hold with rerout\$3)	US-PGPUB; USPAT	OR	ON	2008/02/12 13:55
S3	2	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (pause with rerout\$3)	US-PGPUB; USPAT	OR	ON	2008/02/12 13:55
S4	57	(@ad<"20020617" or @rlad<"20020617") and "H.323" and ((paus\$3 or hold \$3) with (rerout\$3 or retriev \$3))	US-PGPUB; USPAT	OR	ON	2008/02/12 13:56
S5	1	(@ad<"20020617" or @rlad<"20020617") and "H.323" and ((paus\$3 or hold \$3) with (rerout\$3 or retriev \$3)) same (ack or acknowledged \$9 or confirm\$6)	US-PGPUB; USPAT	OR	ON	2008/02/12 13:58
S6	46	(@ad<"20020617" or @rlad<"20020617") and "H.323" and ((paus\$3 or hold \$3) with (rerout\$3 or retriev \$3)) and (ack or acknowledged \$9 or confirm\$6)	US-PGPUB; USPAT	OR	ON	2008/02/12 14:00
S7	21	(@ad<"20020617" or @rlad<"20020617") and "H.323" and ((paus\$3 or hold \$3) near2 (rerout\$3 or retriev\$3))	US-PGPUB; USPAT	OR	ON	2008/02/12 14:01

S8	3	(@ad<"20020617" or @rlad<"20020617") and ((paus\$3) near2 (rerout\$3))	US-PGPUB; USPAT	OR	ON	2008/02/12 14:29
S9	3	(@ad<"20020617" or @rlad<"20020617") and "TCS= 0"	US-PGPUB; USPAT	OR	ON	2008/02/13 08:22
S10	1357	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) with (zero or empty)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:22
S11	2985	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) with (zero or empty or "0")	US-PGPUB; USPAT	OR	ON	2008/02/13 08:23
S12	550	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) near (zero or empty or "0")	US-PGPUB; USPAT	OR	ON	2008/02/13 08:23
S13	18	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) near (zero or empty or "0")	US-PGPUB; USPAT	OR	OFF	2008/02/13 08:24
S14	45	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) near2 (zero or empty or "0")	US-PGPUB; USPAT	OR	OFF	2008/02/13 08:24
S15	2	(@ad<"20020617" or @rlad<"20020617") and "H.323" with (close adj logical adj channel)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:30
S16	11	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (close adj logical adj channel)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:32
S17	0	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (LCI)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:39
S18	0	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (CLC)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:44
S19	0	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (close with LC)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:45

S20	41	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (close)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:45
S21	295	(@ad<"20020617" or @rlad<"20020617") and "H.225.0"	US-PGPUB; USPAT	OR	ON	2008/02/13 08:53
S22	76	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status))	US-PGPUB; USPAT	OR	ON	2008/02/13 08:54
S23	0	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) with (confirmation or acknowledged \$7)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:54
S24	0	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) with (confirmation or acknowledged \$7 or ack)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:54
S25	51	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) and (confirmation or acknowledged \$7 or ack)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:55
S26	0	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) with (close)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:57
S27	6	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) same (confirmation or ack or acknowledged\$7)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:57
S28	36	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (confirm\$6 or ack or acknowledged\$7) with close	US-PGPUB; USPAT	OR	ON	2008/02/13 09:15

S29	0	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (confirm\$6 or ack or acknowledged\$7) with close with always	US-PGPUB; USPAT	OR	ON	2008/02/13 09:15
S30	5	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (confirm\$6 or ack or acknowledged\$7) with close with request	US-PGPUB; USPAT	OR	ON	2008/02/13 09:16
S31	12	(@ad<"20020617" or @rlad<"20020617") and (confirm\$6 or ack or acknowledged\$7) with close with (all or every or each)	US-PGPUB; USPAT	OR	ON	2008/02/13 09:18
S32	70	(@ad<"20020617" or @rlad<"20020617") and (confirm\$6 or ack or acknowledged\$7) with (terminat\$4 or clos\$3 or teardown or (tear adj down)) with (all or every or each)	US-PGPUB; USPAT	OR	ON	2008/02/13 09:20
S33	5	(@ad<"20020617" or @rlad<"20020617") and (confirm\$6 or ack or acknowledged\$7) with (terminat\$4 or clos\$3 or teardown or (tear adj down)) with (all or every or each) with (connection or path or route)	US-PGPUB; USPAT	OR	ON	2008/02/13 09:20
S34	6	(@ad<"20020617" or @rlad<"20020617") and (confirm\$6 or ack or acknowledged\$7) with (terminat\$4 or clos\$3 or teardown or (tear adj down)) with (all or every or each) with (connection or path or route or channel)	US-PGPUB; USPAT	OR	ON	2008/02/13 09:21
S35	2	(@ad<"20020617" or @rlad<"20020617") and (confirm\$6 or ack or acknowledged\$7) with (terminat\$4 or clos\$3 or teardown or (tear adj down)) with (prompt) with (connection or path or route or channel)	US-PGPUB; USPAT	OR	ON	2008/02/13 09:23

S36	5	(@ad<"20020617" or @rlad<"20020617") and (confirm\$6 or ack or acknowled\$7) with (terminat\$4 or clos\$3 or teardown or (tear adj down)) with (prompt\$3) with (connection or path or route or channel)	US-PGPUB; USPAT	OR	ON	2008/02/13 09:23
S37	9	(@ad<"20020617" or @rlad<"20020617") and (terminat\$4 or clos\$3 or teardown or (tear adj down)) with (gateway) with (determin\$3 or identify\$3) with traffic	US-PGPUB; USPAT	OR	ON	2008/02/13 09:27
S38	5778	(@ad<"20020617" or @rlad<"20020617") and ((determin\$3 or discover\$3) with connection with (clos\$3 or end\$3))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:08
S39	1357	(@ad<"20020617" or @rlad<"20020617") and ((determin\$3 or discover\$3) with connection near2 (clos\$3 or end\$3))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:08
S40	4981	(@ad<"20020617" or @rlad<"20020617") and ((determin\$3 or discover\$3) with connection with (close or closure or closing or end\$3))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:09
S41	972	(@ad<"20020617" or @rlad<"20020617") and ((determin\$3 or discover\$3) with connection with (close or closure or closing))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:09
S42	244	(@ad<"20020617" or @rlad<"20020617") and ((determin\$3 or discover\$3) with connection near2 (close or closure or closing))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:09
S43	34	(@ad<"20020617" or @rlad<"20020617") and ((determin\$3 or discover\$3) with connection near2 (close or closure or closing) with (time or timer or timing))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:16
S44	468	(@ad<"20020617" or @rlad<"20020617") and ((close or closure) near2 (signal or message) with receiv\$3 with (time or timer or timing))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:23

S45	3091106	(@ad<"20020617" or @rlad<"20020617") and ((close or closure) near2 (signal or message) with receiv\$3 naer2 (time or timer or timing))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:23
S46	67	(@ad<"20020617" or @rlad<"20020617") and ((close or closure) near2 (signal or message) with receiv\$3 near2 (time or timer or timing))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:23
S47	9	("7412043" "7403515" "7408922" "7315537" "7327677" "7227922" "6466662" "6442268" "6781964").pn.	USPAT	OR	OFF	2008/09/17 08:39
S48	3	(@ad<"20020617" or @rlad<"20020617") and (TCS0)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:17
S49	33	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:18
S50	11	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set) and (empty or zero)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:18
S51	2	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set) and ((empty or zero) with clos\$3)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:18
S52	33	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:27
S53	0	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set) and (channel adj closure adj message)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:27
S54	2	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set) and (CLC)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:33
S55	303	(@ad<"20020617" or @rlad<"20020617") and (TCS) and (CLC)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:33
S56	0	(@ad<"20020617" or @rlad<"20020617") and (TCS) and (CLC) and CLCAck	US-PGPUB; USPAT	OR	ON	2009/03/31 09:33

S57	0	(@ad<"20020617" or @rlad<"20020617") and (CLC) and CLCAck	US-PGPUB; USPAT	OR	ON	2009/03/31 09:33
S58	0	(@ad<"20020617" or @rlad<"20020617") and (TCS) and (CLC) and "H.323"	US-PGPUB; USPAT	OR	ON	2009/03/31 09:34
S59	3	(@ad<"20020617" or @rlad<"20020617") and (TCS0)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:34
S60	33	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:34
S61	1	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set) with (clos\$3)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:34
S62	3788	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set) or TCS) with (clos\$3 or end\$3 or terminat\$3)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:35
S63	3788	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set) or "TCS") with (clos\$3 or end\$3 or terminat\$3)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:35
S64	32	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set)) and (clos\$3 or end\$3 or terminat\$3)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:36
S65	0	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set)) and (clos\$3 or end\$3 or terminat\$3) with TCS	US-PGPUB; USPAT	OR	ON	2009/03/31 09:36
S66	0	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set)) and (clos\$3 or end\$3 or terminat\$3) with TCS\$	US-PGPUB; USPAT	OR	ON	2009/03/31 09:36
S67	295925	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set)) with zero or empty	US-PGPUB; USPAT	OR	ON	2009/03/31 09:37
S68	0	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set)) with (zero or empty)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:37

S69	1389	(@ad<"20020617" or @rlad<"20020617") and ((TCS)) with (zero or empty)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:37
S70	3340	(@ad<"20020617" or @rlad<"20020617") and "H.323"	US-PGPUB; USPAT	OR	ON	2009/03/31 09:37
S71	138	(@ad<"20020617" or @rlad<"20020617") and "H.323" and terminal adj capability	US-PGPUB; USPAT	OR	ON	2009/03/31 09:38
S72	17	(@ad<"20020617" or @rlad<"20020617") and "H.323" and terminal adj capability and (handoff or handover or "hand-off" or "hand-over")	US-PGPUB; USPAT	OR	ON	2009/03/31 09:39
S73	33	(@ad<"20020617" or @rlad<"20020617") and terminal adj capability adj set	US-PGPUB; USPAT	OR	ON	2009/03/31 10:17
S74	0	(@ad<"20020617" or @rlad<"20020617") and terminal adj capability adj set and information adj request adj response	US-PGPUB; USPAT	OR	ON	2009/03/31 10:17

6/ 10/ 09 2:01:22 PM

C:\ Documents and Settings\jmattis\ My Documents\ EAST\ Workspaces\ 10518310.wsp